

Goodspeed *SB economic*

(Formerly known as *PORPLASTIC SB economic*)


Elastic base mat with coloured spray coating for competition, water-permeable

RELIABLE AND LONG-LASTING















Application Fields






- Running tracks
- Run up tracks
- Short distance tracks
- Athletic sport areas type B,C
- International competitions
- Ideal for revitalisation and renovation
- Sport fields



Performance check

 WA certified	 Shock absorption 41%	 Elongation at break of 46%
 Tensile strength of 0.47 N/mm ²	 Friction of 51	 Spike resistance
 Vertical deformation of 2.30 mm	 Environmentally friendly	 Available in many colours
 Water permeable	 Anti-skid granulated surface	 tested according EN 14877 and DIN 18035-6



Layer		Consumption	Thickness	Application
LINE PAINT (optional) Goodspeed X8090		20 –30 g/lfm	ca. 0.10 – 0.20 mm	Spray
UV-SEALER Goodspeed S6020		0.17 –0.20 per layer	ca. 0.10 mm – 0.20mm	Spray, In 2 layers
SPRAY COATING (structural) Goodspeed S670/S675 Goodspeed EPDM (0.5–1.5) + POWDER		ca. 1.20 kg/m ² ca. 0.80 kg/m ² ca. 0.10 kg/m ²	ca. 1 –2 mm	Spray, In 2 layers
ELASTIC LAYER Goodspeed T770/T776 Goodspeed SBR (1–4mm)		1.4 – 1.80 kg/m ² 7.5 – 10 kg/m ²	ca. 11 – 15 mm	Paving machine
PRIMER Goodspeed P270		0.15 – 0.20 kg/m ²	ca. 0.10 mm	Roll or spray

Remark: for further information please refer to the product data sheets or contact our technical service. All data are approximate values. Therefore, no liability claims can be derived from the system data sheet. As all Goodspeed data sheets are updated on a regular basis it is the users' responsibility to obtain the most recent issue (see www.porplastic.com or contact us directly). Date of issue: June 2025 – all technical information is subject to change without prior notice.

